

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

## 1 Identification

- **Product identifier**
- **Trade name: UTP 711B**
- **CAS Number:** -
- **EINECS Number:** -
- **Application of the substance / the mixture** Shielded Metal Arc Welding Electrode
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
voestalpine Böhler Welding UTP Maintenance GmbH  
Elsässer Straße 10  
D-79189 Bad Krozingen  
Tel. +49 7633 409 01  
Fax +49 7633 409 227  
welding.bk@voestalpine.com
- **Information department:** Quality department
- **Emergency telephone number:** +49 7633 409-151 (Mo - Do 8 - 17, Fr 8 -13 Uhr)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements** -
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = \*1  
Fire = 0  
Reactivity = 0

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:**

CAS: 7440-47-3 EINECS: 231-157-5	chromium		12.5-25%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide	☠ Carc. 2, H351	5-12.5%
CAS: 14808-60-7 EINECS: 238-878-4	silicon dioxide	☠ Carc. 1A, H350 ☠ Acute Tox. 4, H332	5-12.5%

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

Trade name: UTP 711B

(Contd. of page 1)

CAS: 471-34-1 EINECS: 207-439-9	calcium carbonate		5-12.5%
CAS: 7440-44-0 EINECS: 231-153-3	carbon	⚠ Flam. Sol. 1, H228; Self-heat. 1, H251	2.5-5%
CAS: 1312-76-1	potassium silicate	⚠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315	2.5-5%
CAS: 7789-75-5 EINECS: 232-188-7	calcium fluoride		0.1-2.5%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Seek medical treatment.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Seek immediate medical advice.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Seek medical treatment.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Suitable to surrounding conditions
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters -**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Ensure that suitable extractors are available on processing machines
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.

(Contd. on page 3)

US

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

Trade name: UTP 711B

(Contd. of page 2)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

**7440-47-3 chromium**

PEL	Long-term value: 1* 0.5** mg/m <sup>3</sup> *metal; **inorganic compds., as Cr
REL	Long-term value: 0.5* mg/m <sup>3</sup> *metal+inorg.compds.as Cr; See Pocket Guide App. C
TLV	Long-term value: 0.5 mg/m <sup>3</sup>

**13463-67-7 titanium dioxide**

PEL	Long-term value: 15* mg/m <sup>3</sup> *total dust
REL	See Pocket Guide App. A
TLV	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC

**14808-60-7 silicon dioxide**

PEL	see Quartz listing
REL	Long-term value: 0.05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m <sup>3</sup> *as respirable fraction

**471-34-1 calcium carbonate**

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	TLV withdrawn

**7789-75-5 calcium fluoride**

PEL	Long-term value: 2.5 mg/m <sup>3</sup> as F
REL	Long-term value: 2.5 mg/m <sup>3</sup> as F
TLV	Long-term value: 2.5 mg/m <sup>3</sup> as F, BEI

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

Trade name: UTP 711B

(Contd. of page 3)

· **Ingredients with biological limit values:**

**7789-75-5 calcium fluoride**

BEI	2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific)
	3 mg/L Medium: urine Time: end of shift Parameter: Fluoride (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Filter P2

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Heat protection gloves (non-combustible)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Not required.

· **Body protection:**

Protective work clothing

Wear hand, head, and body protection which help to prevent injury from radiation, sparks, and electrical shock. See ANSI Z49.1. At a minimum this includes welder's gloves and a protective face shield, and may include arm protectors, aprons, hats, shoulder protection, and well as dark substantial clothing. Train the welder not to touch live electrical parts and to insulate himself from work and ground.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Not determined.  
**Color:** According to product specification

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 5)

**Safety Data Sheet****acc. to OSHA HCS**

Printing date 06/02/2016

Reviewed on 02/26/2016

**Trade name: UTP 711B**

(Contd. of page 4)

- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
  - Relative density** Not determined.
  - Vapor density** Not applicable.
  - Evaporation rate** Not applicable.
  - Water:** Insoluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Dynamic:** Not applicable.
- **Kinematic:** Not applicable.
- **Organic solvents:** 0.0 %
- **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Attacks materials containing glass and silicate.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Copper oxide.  
copper oxide.  
Chromoxide.  
The present OSHA PEL (Permissible Exposure Limit) - published in the U.S. Federal Register 71, pages: 10099-10385 - for hexavalent Chromium (Cr +6) is 0.005 mg/m<sup>3</sup> which will result in a significant reduction from the 5 mg/m<sup>3</sup> general welding fume (NOC) level. It applies to soluble chromates of the types found in covered stainless electrode fumes.  
No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Additional toxicological information:**  
Workers exposed to hexavalent chrome (CrVI) are at an increased risk of developing lung cancer. It is also possible that occupational exposure to (CrVI) may result in asthma, and damage to the nasal epithelia and skin. To avoid any risk follow the requirements of the OSHA rule for hexavalent chromium published on February 28, 2006 in the U.S. Federal Register, pages:10099-10385 which established an 8-hour time-weighted average (TWA) exposure limit of 5 micrograms of hexavalent chrome per cubic meter of air (5 µg/m<sup>3</sup>). This is a considerable reduction from the previous PEL of 1 milligram per 10 cubic meters of air (1 mg/10 m<sup>3</sup>, or 100 µg/m<sup>3</sup>) reported as Probably Chromium(VI)oxide, which is equivalent to a limit of 52 µg/m<sup>3</sup> as (Cr+6)). This rule also contains ancillary provisions for worker protection such as requirements for exposure determination, preferred exposure control methods, including a compliance alternative for a small sector for which the new PEL is infeasible, respiratory protection, protective clothing and equipment, hygiene areas and practices, medical surveillance, recordkeeping, and start-up dates that include four years for the implementation of engineering controls to meet the PEL.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7440-47-3 chromium

3

(Contd. on page 6)

US

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

Trade name: UTP 711B

(Contd. of page 5)

13463-67-7	titanium dioxide	2B
14808-60-7	silicon dioxide	1
7789-75-5	calcium fluoride	3
7440-02-0	nickel	1

· **NTP (National Toxicology Program)**

14808-60-7	silicon dioxide	K
7440-02-0	nickel	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment); slightly hazardous for water
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>IATA</b>	
· <b>Class</b>	-
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

**Trade name: UTP 711B**

(Contd. of page 6)

· **UN "Model Regulation":** -

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

7440-47-3 chromium

· **Section 313 (Specific toxic chemical listings):**

7440-47-3 chromium

7439-96-5 manganese

7440-02-0 nickel

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7 titanium dioxide

14808-60-7 silicon dioxide

7440-02-0 nickel

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogeny categories**

· **EPA (Environmental Protection Agency)**

7440-47-3 chromium

D

7439-96-5 manganese

D

· **TLV (Threshold Limit Value established by ACGIH)**

7440-47-3 chromium

A4

13463-67-7 titanium dioxide

A4

14808-60-7 silicon dioxide

A2

7789-75-5 calcium fluoride

A4

7440-02-0 nickel

A5

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 titanium dioxide

14808-60-7 silicon dioxide

7440-02-0 nickel

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2016

Reviewed on 02/26/2016

Trade name: UTP 711B

(Contd. of page 7)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Quality assurance department

· **Contact:** Wilfried Wangler

· **Date of preparation / last revision** 06/02/2016 / -

· **Abbreviations and acronyms:**

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DOT: US Department of Transportation

LC50: Lethal concentration, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

Flam. Sol. 1: Flammable solids – Category 1

Self-heat. 1: Self-heating substances and mixtures – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

Carc. 2: Carcinogenicity – Category 2