

#### Safety Data Sheet 50134MSA

#### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** 

. Non-Flammable Gas Mixture containing Oxygen 0.0-23.5%, Methane 0.0-< 5%, Carbon Monoxide 0.0-1.5%, Hydrogen Sulfide 0.001-0.025%, Sulfur Dioxide 0.0-0.025% in Nitrogen Balance

MSA P/N

. 10098855, 10117738, 10150622

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

Calibration of Monitoring and Research Equipment

### 1.3 Details of the supplier of the safety data sheet

Manufacturer

• Air Liquide U.S. Supplier Mine Safety Appliances Company

2700 Post Oak Blvd. 100 Cranberry Woods Drive Houston, TX 77056 Cranberry Township United States Pennsylvania U.S.A. 16066

www.us.airliquide.com 1-800-MSA-2222

sds@airliquide.com www.msanet.com/prism

Telephone (Technical) . 713-896-2896 Telephone (Technical) . 800-819-1704

#### 1.4 Emergency telephone number

Manufacturer . 800-424-9300 - CHEMTREC

Manufacturer . +1 703-527-3887 - Outside United States

#### Section 2: Hazards Identification

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

**CLP** 

. Compressed Gas - H280

Reproductive Toxicity 1A - H360D

Specific Target Organ Toxicity Repeated Exposure 2 - H373

**DSD/DPD** • Harmful (Xn)

Substances Toxic To Reproduction - Category 1

R20, R48/20, R61

#### 2.2 Label Elements

**CLP** 

#### **DANGER**





Hazard statements . H280 - Contains gas under pressure; may explode if heated

H360D - May damage the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

**Prevention** • P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe gas.

P281 - Use personal protective equipment as required.

Response . P308+P313 - IF exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

Storage/Disposal . P403 - Store in a well-ventilated place.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local,

regional, national, and/or international regulations.

#### DSD/DPD





**Risk phrases** • R20 - Harmful by inhalation.

R48/20 - Harmful: danger of serious damage to health by prolonged exposure

through inhalation.

R61 - May cause harm to the unborn child.

Safety phrases . S53 - Avoid exposure - obtain special instructions before use.

#### 2.3 Other Hazards

**CLP** 

This material is a simple asphyxiant. May displace or reduce oxygen available

for breathing especially in confined spaces.

According to Regulation (EC) No. 1272/2008 (CLP) this material is

considered hazardous.

DSD/DPD

This material is a simple asphyxiant. May displace or reduce oxygen available

for breathing especially in confined spaces.

According to European Directive 1999/45/EC this material is considered dangerous.

## **United States (US)**

According to OSHA 29 CFR 1910.1200 HCS

#### 2.1 Classification of the substance or mixture

**OSHA HCS 2012** 

. Compressed Gas - H280

Reproductive Toxicity 1A - H360

Simple Asphyxiant

## 2.2 Label elements **OSHA HCS 2012**

#### **DANGER**





Hazard statements . Contains gas under pressure; may explode if heated - H280 May damage fertility or the unborn child. - H360 May displace oxygen and cause rapid suffocation.

## **Precautionary statements**

**Prevention**. Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202 Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response . IF exposed or concerned: Get medical advice/attention. - P308+P313

Storage/Disposal . Store in a well-ventilated place. - P403

Store locked up. - P405

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

**OSHA HCS 2012** 

 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication) Standard), this product is considered hazardous.

#### Canada

According to WHMIS

#### 2.1 Classification of the substance or mixture

**WHMIS** 

 Compressed Gas - A Very Toxic - D1A Other Toxic Effects - D2A

2.2 Label elements **WHMIS** 







Compressed Gas - A Very Toxic - D1A Other Toxic Effects - D2A

2.3 Other hazards **WHMIS** 

 This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

#### 3.1 Substances

Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

#### 3.2 Mixtures

Composition						
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive		
Oxygen	CAS:7782-44-7 EC Number:231- 956-9 EU Index:008- 001-00-8	0% TO 23.5%	NDA	EU DSD/DPD: Annex VI, Table 3.2: O R8 EU CLP: Annex VI, Table 3.1: Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas Comp.		

Methane	CAS:74-82-8 EC Number:200- 812-7 EU Index:601- 001-00-4	0% TO 5%	NDA	EU DSD/DPD: Annex VI, Table 3.2: F+ R12 EU CLP: Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp., H280 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp; Simp. Asphyx.
Carbon monoxide	CAS:630-08-0 EC Number:211- 128-3 EU Index:006- 001-00-2	0% TO 1.5%	Inhalation-Rat LC50 • 1807 ppm 4 Hour(s)	EU DSD/DPD: Annex VI, Table 3.2: F+ R12; Repr. Cat. 1 R61 T R23-48/23  EU CLP: Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp., H280; Repr. 1A, H360D; Acute Tox. 3 *, H331; STOT RE 1, H372  OSHA HCS 2012: Flam. Gas 1; Press Gas - Comp.; Repr. 1A; Acute Tox. 3 (inhl)
Sulfur dioxide	CAS:7446-09-5 EC Number:231- 195-2 EU Index:016- 011-00-9	0% TO 0.025%	Inhalation-Rat LC50 • 2168 mg/m³	EU DSD/DPD: Annex VI, Table 3.2: T R23 C R34 EU CLP: Annex VI, Table 3.1: Press. Gas - Comp, H280; Acute Tox. 3*, H331; Skin Corr. 1B, H314 OSHA HCS 2012: Press. Gas - Comp.; Muta. 2; Acute Tox. 3 (inh); Repr. 2; Skin Corr. 1B; Eye Dam. 1
Hydrogen sulfide	CAS:7783-06-4 EC Number:231- 977-3 EU Index:016- 001-00-4	0.001% TO 0.025%	Inhalation-Rat LC50 • 700 mg/m³ 4 Hour(s)	EU DSD/DPD: Annex VI, Table 3.2: F+ R12 T+ R26 N R50 EU CLP: Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp, H280; Acute Tox. 2 *, H330; Aquatic Acute 1, H400 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.; Acute Tox 2 (inhl)
Nitrogen	<b>CAS</b> :7727-37-9 <b>EINECS</b> :231-783-9	Balance	NDA	EU DSD/DPD: Not Classified EU CLP: Self Classified: Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

#### Section 4 - First Aid Measures

### 4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

Eve

 Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

Ingestion

First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.

Ingestion is not considered a potential route of exposure.

## 4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

## 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

All treatments should be based on observed signs and symptoms of distress in the
patient. Consideration should be given to the possibility that overexposure to materials
other than this product may have occurred. A potential health hazard associated with
this gas is anoxia.

#### 4.4 Other information

• Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

## **Section 5 - Firefighting Measures**

## 5.1 Extinguishing media

Suitable Extinguishing Media . Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing** 

No data available

Media

#### 5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

 Containers may explode when heated. Ruptured cylinders may rocket.

**Hazardous Combustion** 

. No data available

Products

## 5.3 Advice for firefighters

 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear positive pressure self-contained breathing apparatus (SCBA).

Move containers from fire area if you can do it without risk.

FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

FIRÉ INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.

FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.

FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from

venting safety devices or discoloration of tank.

FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

#### **Section 6 - Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Ventilate the area before entry. Do not walk through spilled material. Wear appropriate
personal protective equipment, avoid direct contact. Do not touch damaged containers or
spilled material unless wearing appropriate protective clothing.

**Emergency Procedures** 

 Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

#### 6.2 Environmental precautions

• Prevent spreading of vapors through sewers, ventilation systems and confined areas.

#### 6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

• Stop leak if you can do it without risk.

Ventilate the area.

Isolate area until gas has dispersed.

Use water spray to reduce vapors; do not put water directly on leak, spill area

or inside container.

If possible, turn leaking containers so that gas escapes rather than liquid.

#### 6.4 Reference to other sections

, Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 -Disposal Considerations.

## Section 7 - Handling and Storage

#### 7.1 Precautions for safe handling

#### Handling

• Use only with adequate ventilation. Ventilate closed spaces before entering. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing gas. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

## 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

 Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not allow area where cylinders are stored to exceed 52C (125F).

#### 7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

#### 8.1 Control parameters

	Exposure Limits/Guidelines								
	Result	ACGIH	Canada Ontario	Canada Quebec	China	China Highly Toxic Goods			
Carbon monoxide (630-08-0)	Ceilings	Not established	Not established	Not established	20 mg/m3 Ceiling [MAC] (high altitude area, 2000-3000m); 15 mg/m3 Ceiling [MAC] (high altitude area, >3000m)	Not established			
	STELs	Not established	Not established	200 ppm STEV; 230 mg/m3 STEV	30 mg/m3 STEL (not in high altitude area)	30 mg/m3 STEL (not in high altitude area)			
	TWAs	25 ppm TWA	25 ppm TWA	35 ppm TWAEV; 40 mg/m3 TWAEV	20 mg/m3 TWA (not in high altitude area)	20 mg/m3 TWA (not in high altitude area)			
Sulfur dioxide	STELs	0.25 ppm STEL	5 ppm STEL; 10.4 mg/m3 STEL	5 ppm STEV; 13 mg/m3 STEV	10 mg/m3 STEL	Not established			
(7446-09-5)	TWAs	Not established	2 ppm TWA; 5.2 mg/m3 TWA	2 ppm TWAEV; 5.2 mg/m3 TWAEV	5 mg/m3 TWA	Not established			
Methane (74-82-8)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	Not established	Not established	Not established			
	Ceilings	Not established	Not established	Not established	10 mg/m3 Ceiling [MAC]	10 mg/m3 Ceiling			
Hydrogen sulfide (7783-06-4)	STELs	5 ppm STEL	15 ppm STEL	15 ppm STEV; 21 mg/m3 STEV	Not established	Not established			
	TWAs	1 ppm TWA	10 ppm TWA	10 ppm TWAEV; 14 mg/m3 TWAEV	Not established	Not established			
	Exposure Limits/Guidelines (Con't.)								
	Result	France	Germany DFG	Germany TRGS	Ireland	Israel			
				30 ppm TWA AGW (The risk of damage					

Preparation Date: 05/September/2014 Revision Date: 05/September/2014

Carbon monoxide (630-08-0)	TWAs	50 ppm TWA [VME]; 55 mg/m3 TWA [VME]	Not established	to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2); 35 mg/m3 TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2)	20 ppm TWA; 23 mg/m3 TWA	25 ppm TWA
	STELs	Not established	Not established	Not established	100 ppm STEL; 115 mg/m3 STEL	Not established
	Ceilings	Not established	60 ppm Peak; 70 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	30 ppm TWA MAK; 35 mg/m3 TWA MAK	Not established	Not established	Not established
	STELs	5 ppm STEL [VLCT]; 10 mg/m3 STEL [VLCT]	Not established	Not established	1 ppm STEL; 2.6 mg/m3 STEL	0.25 ppm STEL
Sulfur dioxide (7446-09-5)	TWAs	2 ppm TWA [VME]; 5 mg/m3 TWA [VME]	Not established	1 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 1); 2.5 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 1)	0.5 ppm TWA; 1.3 mg/m3 TWA	Not established
	Ceilings	Not established	1 ppm Peak (a ceiling value 1 mL/m3 or 2.7 mg/m3 must not be exceeded); 2.7 mg/m3 Peak (a ceiling value 1 mL/m3 or 2.7 mg/m3 must not be exceeded)	Not established	Not established	Not established
	MAKs	Not established	1 ppm TWA MAK; 2.7 mg/m3 TWA MAK	Not established	Not established	Not established
Methane (74-82-8)	TWAs	Not established	Not established	Not established	1000 ppm TWA	1000 ppm TWA (gas, listed under Aliphatic hydrocarbon gases: Alkane C1-4)
	STELs	10 ppm STEL [VLCT]; 14 mg/m3 STEL [VLCT]	Not established	Not established	10 ppm STEL; 14 mg/m3 STEL	5 ppm STEL
				5 ppm TWA AGW (The risk of damage		

Hydrogen sulfide (7783-06-4)		5 ppm TWA [VME]; 7 mg/m3 TWA [VME]	Not established	to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 7.1 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	5 ppm TWA; 7 mg/m3 TWA	1 ppm TWA
	Ceilings	Not established	10 ppm Peak; 14.2 mg/m3 Peak	Not established	Not established	Not established
	MAKs		5 ppm TWA MAK; 7.1 mg/m3 TWA MAK	Not established	Not established	Not established
		Ex	posure Limits/Gu	idelines (Con't.)		
	Result	NIOSH	OSHA	OSHA Vacated	Portugal	Spain
	TWAs	35 ppm TWA; 40 mg/m3 TWA	50 ppm TWA; 55 mg/m3 TWA	35 ppm TWA; 40 mg/m3 TWA	25 ppm TWA [VLE- MP]	25 ppm TWA [VLA- ED]; 29 mg/m3 TWA [VLA-ED]
Carbon monoxide (630-08-0)	Biologica Limit Values (BLV)	l Not established	Not established	Not established	Not established	3.5 % of Carboxyhemoglobin in total hemoglobin blood end of shift Carboxyhemoglobin (2,F,I); 20 ppm alveolar air end of shift CO end-cut of exhaled air (2,F,I)
	Ceilings	200 ppm Ceiling; 229 mg/m3 Ceiling	Not established	200 ppm Ceiling; 229 mg/m3 Ceiling	Not established	Not established
	STELs	5 ppm STEL; 13 mg/m3 STEL	Not established	5 ppm STEL; 15 mg/m3 STEL	5 ppm STEL [VLE-CD	2 ppm STEL [VLA-EC]; 5.28 mg/m3 STEL [VLA-EC]
Sulfur dioxide (7446-09-5)	TWAs	2 ppm TWA; 5 mg/m3 TWA	5 ppm TWA; 13 mg/m3 TWA	2 ppm TWA; 5 mg/m3 TWA	MP]	1 ppm TWA [VLA-ED] (it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound); 2.64 mg/m3 TWA [VLA-ED] (it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound)
Methane (74-82-8)	TWAs	Not established	Not established	Not established	1000 ppm TWA [VLE-MP]	1000 ppm TWA [VLA- ED]
	STELs	Not established	Not established	15 ppm STEL; 21 mg/m3 STEL	15 ppm STEL [VLE- CD	10 ppm STEL [VLA- EC]; 14 mg/m3 STEL [VLA-EC]

Hydrogen sulfide (7783-06-4)	TWAs	Not established	Not	Not established		opm TWA; 14 m3 TWA	10 ppm TWA [VLE-MP]	5 ppm TWA [VLA-ED]; 7 mg/m3 TWA [VLA- ED]			
	Ceilings	10 ppm Ceiling (10 min); 15 mg/m3 Ceiling (10 min)	20	ppm Ceiling	Not	established	Not established	Not established			
		Ex	pos	ure Limits/G	uidel	ines (Con't.)					
				Result		Sweden					
				STELs		100 ppm STV; 12 mg/m3 STV	20				
Carbon monoxide (630-08-0)				TWAs		20 ppm LLV (regunder exhaust fur listed under Exhaumes); 25 mg/m (regulated under exhaust fumes, liunder Exhaust fumes funder Exhaust fumg/m3 LLV	mes, aust 3 LLV sted mes);				
Sulfur dioxide	Sulfur dioxide			Ceilings			Ceilings		5 ppm CLV; 13 mg/m3 CLV		
(7446-09-5)	(7446-09-5)		TWAs		2 ppm LLV; 5 mg/m3 LLV						
Hydrogen sulfide (7783-06-4)			Ceilings		15 ppm CLV; 20 mg/m3 CLV						
			TWAs		10 ppm LLV; 14 mg/m3 LLV						

#### **Exposure Control Notations**

#### **Portugal**

- Sulfur dioxide (7446-09-5): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- Nitrogen (7727-37-9): Simple Asphyxiants: (Simple Asphyxiant)

#### **France**

•Carbon monoxide (630-08-0): **Reproductive Toxins:** (Reproductive Toxin category 1) **Ireland** 

- Methane (74-82-8): Simple Asphyxiants: (Asphyxiant)
- Carbon monoxide (630-08-0): Substances with Potential Chronic Health Effects: (Repr1A)
- Nitrogen (7727-37-9): Simple Asphyxiants: (Asphyxiant)

#### **Spain**

- Carbon monoxide (630-08-0): Reproductive Toxins: (known reproductive toxins with classification from human data)
- Nitrogen (7727-37-9): Simple Asphyxiants: (simple asphyxiant)

#### Sweden

• Carbon monoxide (630-08-0): Reproductive Toxins: (Causes reproductive disturbances)

#### **Germany DFG**

- Carbon monoxide (630-08-0): **Pregnancy:** (risk to embryo/fetus probable)
- •Hydrogen sulfide (7783-06-4): Pregnancy: (no risk to embryo/fetus if exposure limits adhered to)
- •Sulfur dioxide (7446-09-5): Pregnancy: (no risk to embryo/fetus if exposure limits adhered to)

## **Exposure Limits Supplemental**

#### **Spain**

• Sulfur dioxide (7446-09-5): **Under Review:** (0.5 ppm VLA-ED; 1 ppm VLA-EC; it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary o biocide compound)

## 8.2 Exposure controls

## **Engineering Measures/Controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### **Personal Protective Equipment**

Respiratory

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear safety glasses.

Skin/Body

Wear leather gloves when handling cylinders.

**Environmental Exposure Controls** 

 Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

.LV = Limit Level Value is the exposure limit for 8-hour work day Maximale Arbeitsplatz Konzentration is the maximum permissible

MAK concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

Short Term Exposure Limits are based on 15-minute

STEL exposures

TWA

STEV = Short Term Exposure Value

TWAEV = Time-Weighted Average Exposure Value

Time-Weighted Averages are based on 8h/day, 40h/week

exposures

Section 9 - Physical and Chemical Properties

## 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with rotten egg odor.
Color	Colorless	Odor	Rotten-egg
Odor Threshold	0.13 ppm (Hydrogen Sulfide)		
General Properties			
Boiling Point	-195.8 C(-320.44 F) (Nitrogen)	Melting Point	-210 C(-346 F) (Nitrogen)
Decomposition Temperature	Data lacking	рН	Not relevant
Specific Gravity/Relative Density	0.906 Water=1 (Nitrogen)	Density	0.072 lb(s)/ft³ @ 0 C(32 F) (Nitrogen)
Water Solubility	Data lacking	Viscosity	Data lacking
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Data lacking
Flammability (solid, gas)	Nonflammable Gas.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

#### 9.2 Other Information

No additional physical and chemical parameters noted.

## **Section 10: Stability and Reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4 Conditions to avoid

Excess heat.

#### 10.5 Incompatible materials

• Titanium will burn in Nitrogen (the main component of this gas mixture). Lithium reacts slowly with Nitrogen at ambient temperatures. Due to the presence of Hydrogen Sulfide, this gas mixture may be incompatible with strong oxidizers. Hydrogen Sulfide is corrosive to most metals due to reaction with metals to form metal sulfides. The Carbon Monoxide component is mildly corrosive to nickel and iron (especially at high temperature and pressure). The trace Sulfur Dioxide component is incompatible with the following materials: chlorates, fluorine, interhalogens, sodium hydride, sodium, bases, silver azide, barium peroxide, diethyl zinc, nitryl chloride, powdered metals, potassium, acrolein, lithium nitrate and propene, monolithium acetylide-ammonia (lithium acetylene carbide diammino), cesium azide, metal oxides, metal acetylides, and carbide. Although the Sulfur Dioxide component is in low concentration and significant reaction is not expected, caution should be used if contact with this gas mixture and these materials can occur.

## 10.6 Hazardous decomposition products

• Combustion: Sulfur oxides, carbon oxides. Hydrolysis: None known.

## Section 11 - Toxicological Information

## 11.1 Information on toxicological effects

		Components		
Oxygen (0% TO 23.5%)  Reproductive: Inhalation-Rat TCLo • 10 pph 9 Hour(s)(22D preg); Reproductive Effects:Specific Development   Abnormalities:Respiratory system; Reproductive Effects:Effects on Newborn:Physical				
Carbon monoxide (0% TO 1.5%)	630- 08-0	Acute Toxicity: Inhalation-Rat LC50 • 1807 ppm 4 Hour(s); Reproductive: Inhalation-Rat TCLo • 150 ppm (0-20D preg); Reproductive Effects: Maternal Effects: Other effects; Reproductive Effects: Effects on Newborn: Biochemical and metabolic; Reproductive Effects: Effects on Newborn: Physical		
Hydrogen sulfide (0.001% TO 0.025%)	7783- 06-4	Acute Toxicity: Inhalation-Rat LC50 • 700 mg/m³ 4 Hour(s); Irritation: Eye-Human • .000125 ppm 5 Hour(s); Reproductive: Inhalation-Rat TCLo • 10 mg/m³ (48D pre/1-22D preg); Reproductive Effects:Effects on Fertility:Pre- implantation mortality; Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Specific Developmental Abnormalities:Urogenital system		
Sulfur dioxide (0% TO 0.025%)	7446- 09-5	Acute Toxicity: Inhalation-Rat LC50 • 2520 ppm 1 Hour(s); Irritation: Eye-Rabbit • 6 ppm 32 Day(s) • Mild irritation; Mutagen: Cytogenetic analysis • Inhalation-Mouse • 14 μg/L 4 Hour(s) 7 Day(s); Micronucleus test • Inhalation-Mouse • 28 μg/L 5 Day(s)-Intermittent; DNA adduct • Inhalation-Rat • 72 mg/kg 300 Day(s)-Intermittent; Reproductive: Inhalation-Mouse TCLo • 25 ppm 7 Hour(s)(6-15D preg); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system; Inhalation-Rabbit TCLo • 70 ppm 7 Hour(s)(6-18D preg); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system		

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking
Additionally	OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking
7-09-1-01-1-1-02-0-1-0	OSHA HCS 2012 • Data lacking
Carcinogenicity	EU/CLP • Data lacking
	OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	EU/CLP • Data lacking
	OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	EU/CLP • Data lacking
	OSHA HCS 2012 • Data lacking
Skin sensitization	EU/CLP • Data lacking
	OSHA HCS 2012 • Data lacking
STOT-RE	EU/CLP   ◆ Specific Target Organ Toxicity Repeated Exposure 2
	OSHA HCS 2012 • Data lacking
STOT-SE	EU/CLP • Data lacking
0.0.02	OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	EU/CLP    Toxic to Reproduction 1A
rexienty for Reproduction	OSHA HCS 2012 • Toxic to Reproduction 1A
Respiratory sensitization	EU/CLP ◆ Data lacking
neophatory continuation	OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	EU/CLP ◆ Data lacking
onious sys uninagemmation	OSHA HCS 2012 • Data lacking

# Potential Health Effects Inhalation

Acute (Immediate)

• This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

Chronic (Delayed)

#### Skin

Acute (Immediate)

**Chronic (Delayed)** 

Eye

Acute (Immediate)

**Chronic (Delayed)** 

Ingestion

**Acute (Immediate)** 

**Chronic (Delayed)** 

Other

- . No data available
- Under normal conditions of use, no health effects are expected.
- Under normal conditions of use, no health effects are expected.
- Under normal conditions of use, no health effects are expected.
- Under normal conditions of use, no health effects are expected.
- Ingestion is not anticipated to be a likely route of exposure to this product.
- Ingestion is not anticipated to be a likely route of exposure to this product.

## Preparation Date: 05/September/2014

#### **Chronic (Delayed)**

• The transport of oxygen in blood ensured by haemoglobin will be slowed down because carboxyhaemoglobin instead of oxyhaemoglobin will be formed in lungs. The affinity of heamoglobin for carbon monoxide is 200 to 300 higher then for oxygen. All related health hazards will be caused by slow respiration of cells which will damage the central nervous system, collapse the cardiovascular system, cause kidney insufficiency, coma, etc.

#### **Reproductive Effects**

• The Carbon Monoxide component of this gas mixture can cause teratogenic effects in humans. Severe exposure to Carbon Monoxide during pregnancy has caused adverse effects and the death of the fetus. In general, maternal symptoms are an indicator of the potential risk to the fetus since Carbon Monoxide is toxic to the mother before it is toxic to the fetus. Based on studies in mice and rabbits, sulfur dioxide may cause developmental effects.

#### Key to abbreviations

LC = Lethal Concentration
TC = Toxic Concentration

## Section 12 - Ecological Information

## **12.1 Toxicity**

Material data lacking.

## 12.2 Persistence and degradability

Material data lacking.

#### 12.3 Bioaccumulative potential

Material data lacking.

## 12.4 Mobility in Soil

Material data lacking.

#### 12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been conducted for this material.

#### 12.6 Other adverse effects

No studies have been found.

## Section 13 - Disposal Considerations

#### 13.1 Waste treatment methods

**Product waste** 

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste** 

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## **Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1956	Compressed gases, n.o.s. (Nitrogen, Oxygen, Methane)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GASES, N.O.S. (Nitrogen, Oxygen, Methane)	2.2	NDA	NDA

IMO/IMDG	UN1956	COMPRESSED GASES, N.O.S. (Nitrogen, Oxygen, Methane)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gases, n.o.s. (Nitrogen, Oxygen, Methane)	2.2	NDA	NDA

## 14.6 Special precautions for user

- Cylinders should be transported in a secure position, in a well-ventilated vehicle.
  The transportation of compressed gas cylinders in automobiles or in closed-body
  vehicles can present serious safety hazards. If transporting these cylinders in
  vehicles, ensure these cylinders are not exposed to extremely high temperatures
  (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should
  be well-ventilated during transportation.
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
- Data lacking.

## **Section 15 - Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications . Pressure(Sudden Release of), Acute, Chronic

State Right To Know							
Component	CAS	MA	NJ	PA			
Carbon monoxide	630-08-0	Yes	Yes	Yes			
Hydrogen sulfide	7783-06-4	Yes	Yes	Yes			
Methane	74-82-8	Yes	Yes	Yes			
Nitrogen	7727-37-9	Yes	Yes	Yes			
Oxygen	7782-44-7	Yes	Yes	Yes			
Sulfur dioxide	7446-09-5	Yes	Yes	Yes			

			Inventory			
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Carbon monoxide	630-08-0	Yes	No	Yes	Yes	No
Hydrogen sulfide	7783-06-4	Yes	No	Yes	Yes	No
Methane	74-82-8	Yes	No	Yes	Yes	No
Nitrogen	7727-37-9	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No
Sulfur dioxide	7446-09-5	Yes	No	Yes	Yes	No
			Inventory (Co	n't.)		
Component			CAS	TS	CA	
Carbon monoxide		63	80-08-0	Y	es	
Hydrogen sulfide		77	783-06-4	Y	Yes	
Methane		74	-82-8	Y	es	
Nitrogen		77	7727-37-9		es	
Oxygen		77	'82-44-7	Y	es	
Sulfur dioxide		74	46-09-5	Y	es	

#### Canada

Hydrogen sulfide	7783-06-4	A, B1, D1A, D2B
Carbon monoxide	630-08-0	A, B1, D1A, D2A
Oxygen	7782-44-7	A, C
Sulfur dioxide	7446-09-5	A, D1A, D2B, E
Nitrogen	7727-37-9	Α
Methane	74-82-8	A, B1
Canada - WHMIS - Ingredient Disclosure List		
Hydrogen sulfide	7783-06-4	1 %
Carbon monoxide	630-08-0	0.1 %
Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	1 %
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

Canada - CEPA - Priority Substances List		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

## China

vironment		
China - Ozone Depleting Substances - First Schedule		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
China - Ozone Depleting Substances - Second Schedule		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
China - Ozone Depleting Substances - Third Schedule		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed

her		
China - Annex I & II - Controlled Chemicals Lists		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
China - Dangerous Goods List		
Hydrogen sulfide	7783-06-4	
Carbon monoxide	630-08-0	
• Oxygen	7782-44-7	(compressed or refrigerated liquid)
Sulfur dioxide	7446-09-5	
• Nitrogen	7727-37-9	(compressed or refrigerated liquid)
Methane	74-82-8	(compressed or refrigerated liquid)
China - Export Control List - Part I Chemicals		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
• Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

## **Europe**

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification		
Hydrogen sulfide	7783-06-4	F+; R12 T+; R26 N; R50
Carbon monoxide	630-08-0	F+; R12 T; R23-48/23 Repr.Cat.1; R61
Oxygen	7782-44-7	O; R8
Sulfur dioxide	7446-09-5	T; R23 C; R34
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	F+; R12
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	20%<=C: T; R:23 5% <=C<20%: Xn; R:20
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
Hydrogen sulfide	7783-06-4	F+ T+ N R:12-26-50 S:(1/2) 16-36-38-45-61
Carbon monoxide	630-08-0	F+ T R:61-12-23-48/23 S:5 45
Oxygen	7782-44-7	O R:8 S:(2)-17

Sulfur dioxide	7446-09-5	T R:23-34 S:(1/2)-9-26- 36/37/39-45
Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	F+ R:12 S:(2)-9-16-33
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Sul	bstances and Preparations	
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	E
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	5
Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phra	ases	
Hydrogen sulfide	7783-06-4	S:(1/2)-9-16-36-38-45-61
Carbon monoxide	630-08-0	S:53-45
• Oxygen	7782-44-7	S:(2)-17
Sulfur dioxide	7446-09-5	S:(1/2)-9-26-36/37/39-45
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	S:(2)-9-16-33

## **Germany**

nvironment		
Germany - TA Luft - Types and Classes		
Hydrogen sulfide	7783-06-4	inorganic gas Substance: 5.2.4, Class II
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Sulfur dioxide	7446-09-5	inorganic gas Substance: 5.2.4, Class IV
• Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
Germany - Water Classification (VwVwS) - Annex 1		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	ID Number 743, not considere hazardous to water
Sulfur dioxide	7446-09-5	Not Listed
• Nitrogen	7727-37-9	ID Number 1351, not considered hazardous to water
• Methane	74-82-8	ID Number 1343, not considered hazardous to water
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes		
Hydrogen sulfide	7783-06-4	ID Number 283, hazard class 2 - hazard to waters
Carbon monoxide	630-08-0	ID Number 257, hazard class of a low hazard to waters
• Oxygen	7782-44-7	Not Listed
• Sulfur dioxide	7446-09-5	ID Number 416, hazard class - low hazard to waters (footnote 8)

Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
Germany - Water Classification (VwVwS) - Annex 3		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

7783-06-4

630-08-0

7782-44-7

7446-09-5

7727-37-9

74-82-8

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

## NitrogenMethane

Oxygen

• Hydrogen sulfide

Carbon monoxide

• Sulfur dioxide

## **Portugal**

Other	
Portugal - Prohibited Substances	
Hydrogen sulfide	7783-06-4 Not Listed
Carbon monoxide	630-08-0 Not Listed
<ul> <li>Oxygen</li> </ul>	7782-44-7 Not Listed
Sulfur dioxide	7446-09-5 Not Listed
Nitrogen	7727-37-9 Not Listed
Methane	74-82-8 Not Listed

## **United Kingdom**

Environment United Kingdom - Pollution Inventory - Schedule 1 - Thr	resholds for Releases to Air	
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	100000 kg
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	10000 kg

Methane	74-82-8	10000 kg
Other		
United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
United Kingdom - List of Dangerous Substances in Water		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed

• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

## **United States**

Hydrogen sulfide	7783-06-4	1500 lb TQ
Carbon monoxide	630-08-0	Not Listed
Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	1000 lb TQ (liquid)
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
• Hydrogen sulfide	7783-06-4	Not Listed
• raydrogen suilide • Carbon monoxide	630-08-0	Not Listed Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Hydrogen sulfide	7783-06-4	100 lb final RQ; 45.4 kg final RQ
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Hydrogen sulfide	7783-06-4	100 lb EPCRA RQ
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	500 lb EPCRA RQ

Nitrogen	7727-37-9	Not Listed
• Methane	74-82-8	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs	7700 00 4	500 ll. TDO
Hydrogen sulfide	7783-06-4	500 lb TPQ
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	500 lb TPQ
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Hydrogen sulfide	7783-06-4	1.0 % de minimis concentration
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous Constituen	to Annondiy VIII to 40 C	NED 261
Hydrogen sulfide	7783-06-4	waste number U135
Carbon monoxide	630-08-0	Not Listed
	7782-44-7	Not Listed
Oxygen    Sulfur dioxide		Not Listed
	7446-09-5	
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed

## **United States - California**

<b>Environment</b>		
U.S California - Proposition 65 - Carcinogens List		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	developmental toxicity, initial date 7/1/89
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	developmental toxicity, initial date 7/29/11
Nitrogen	7727-37-9	Not Listed

Methane	74-82-8 Not Listed	
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Hydrogen sulfide	7783-06-4 Not Listed	
Carbon monoxide	630-08-0 Not Listed	
• Oxygen	7782-44-7 Not Listed	
Sulfur dioxide	7446-09-5 Not Listed	
• Nitrogen	7727-37-9 Not Listed	
• Methane	74-82-8 Not Listed	
J.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Hydrogen sulfide	7783-06-4 Not Listed	
· Carbon monoxide	630-08-0 Not Listed	
• Oxygen	7782-44-7 Not Listed	
Sulfur dioxide	7446-09-5 Not Listed	
Nitrogen	7727-37-9 Not Listed	
Methane	74-82-8 Not Listed	
J.S California - Proposition 65 - Reproductive Toxicity - Female		
Hydrogen sulfide	7783-06-4 Not Listed	
Carbon monoxide	630-08-0 Not Listed	
• Oxygen	7782-44-7 Not Listed	
Sulfur dioxide	7446-09-5 Not Listed	
• Nitrogen	7727-37-9 Not Listed	
Methane	74-82-8 Not Listed	
J.S California - Proposition 65 - Reproductive Toxicity - Male		
Hydrogen sulfide	7783-06-4 Not Listed	
Carbon monoxide	630-08-0 Not Listed	
Oxygen	7782-44-7 Not Listed	
· Sulfur dioxide	7446-09-5 Not Listed	
Nitrogen	7727-37-9 Not Listed	
Methane	74-82-8 Not Listed	

## **United States - Pennsylvania**

U.S Pennsylvania - RTK (Right to Know) - Environn		
Hydrogen sulfide	7783-06-4	
Carbon monoxide	630-08-0	
Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	
Nitrogen	7727-37-9	Not Listed
Methane	74-82-8	Not Listed
<ul><li>U.S Pennsylvania - RTK (Right to Know) - Special H</li><li>Hydrogen sulfide</li></ul>	7783-06-4	Not Listed
Hydrogen sulfide	7783-06-4	Not Listed
Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Sulfur dioxide	7446-09-5	Not Listed
	7727-37-9	Not Listed
Nitrogen		

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

#### 15.3 Other Information

 WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

#### **Section 16 - Other Information**

#### Relevant Phrases (code & full text)

H220 - Extremely flammable gas

H270 - May cause or intensify fire; oxidizer

H314 - Causes severe skin burns and eye damage.

H330 - Fatal if inhaled H331 - Toxic if inhaled

H372 - Causes damage to organs through prolonged or repeated

exposure. H400 - Very toxic to aquatic life

R8 - Contact with combustible material may cause fire.

R12 - Extremely flammable. R23 - Toxic by inhalation. R26 - Very toxic by inhalation.

R34 - Causes burns.

R48/23 - Toxic: danger of serious damage to health by prolonged exposure

through inhalation.

R50 - Very toxic to aquatic organisms.

Last Revision Date Preparation Date 05/September/2014
 05/September/2014

Disclaimer/Statement of Liability

• To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

**Key to abbreviations**NDA = No Data Available