

Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

SECTION: 1. Product and company identification

Product identifier

Product form : Mixture

Other means of identification : Mixture of Ammonia 0.1 ppm- 2.99999% in Air

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use. Use as directed.

1.3. Details of the supplier of the safety data sheet

Praxair. Inc.

39 Old Ridgebury Road

Danbury, CT 06810-5113 - USA

T 1-800-772-9247 (1-800-PRAXAIR) - F 1-716-879-2146

www.praxair.com

Emergency telephone number

Emergency number : Onsite Emergency: 1-800-645-4633

CHEMTREC, 24 hr/day 7 days/week — Within USA: 1-800-424-9300, Outside USA: 001-703-

527-3887 (collect calls accepted, Contract 17729)

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Compressed gas H280 Skin Irrit. 2 H315 Eye Irrit. 2A H319 Aquatic Acute 2 H401

2.2. **Label elements**

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

: WARNING

Signal word (GHS-US)

Hazard statements (GHS-US) H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED

H315 - CAUSES SKIN IRRITATION

H319 - CAUSES SERIOUS EYE IRRITATION

H401 - TOXIC TO AQUATIC LIFE

Precautionary statements (GHS-US) : P264 - Wash exposed skin thoroughly after handling

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see First aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse.

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F).

P501 - Dispose of contents/container in accordance with container supplier/owner instructions.

P271+P403 - Use and store only outdoors or in a well-ventilated place.



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % |
|---------|----------------------|------------------------|
| Air | (CAS No) 132259-10-0 | 97.00001 - 99.99999 |
| Ammonia | (CAS No) 7664-41-7 | 0.00001 - 2.99999 |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

- : Immediately remove to fresh air. If not breathing, give artificial respiration. If breathing is
 - difficult, qualified personnel may give oxygen. Call a physician.

First-aid measures after skin contact

- : Remove contaminated clothing. Drench affected area with water for at least 15 minutes.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an

ophthalmologist immediately.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical assistance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Reactivity

: No reactivity hazard other than the effects described in sub-sections below.

5.3. Advice for firefighters

Firefighting instructions

: Evacuate all personnel from the danger area. Use self-contained breathing apparatus (SCBA) and protective clothing. Immediately cool containers with water from maximum distance. Stop flow of gas if safe to do so, while continuing cooling water spray. Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart L—Fire Protection.

Special protective equipment for fire fighters

Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.

Other information : Con

: Containers are equipped with a pressure relief device. (Exceptions may exist where authorized by DOT.).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use chemically protective clothing.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

EN (English) SDS ID: p-18-2128 2/8



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

6.2. Environmental precautions

Reduce vapour with fog or fine water spray. Prevent waste from contaminating the surrounding environment. Prevent soil and water pollution. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements.

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wear leather safety gloves and safety shoes when handling cylinders. Protect cylinders from physical damage; do not drag, roll, slide or drop. While moving cylinder, always keep in place removable valve cover. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Never insert an object (e.g., wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Slowly open the valve. If the valve is hard to open, discontinue use and contact your supplier. Close the container valve after each use; keep closed even when empty. Never apply flame or localized heat directly to any part of the container. High temperatures may damage the container and could cause the pressure relief device to fail prematurely, venting the container contents. For other precautions in using this product, see section 16.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in a cool, well-ventilated place. Store and use with adequate ventilation. Store only where temperature will not exceed 125°F (52°C). Firmly secure containers upright to keep them from falling or being knocked over. Install valve protection cap, if provided, firmly in place by hand. Store full and empty containers separately. Use a first-in, first-out inventory system to prevent storing full containers for long periods.

OTHER PRECAUTIONS FOR HANDLING, STORAGE, AND USE: When handling product under pressure, use piping and equipment adequately designed to withstand the pressures to be encountered. Never work on a pressurized system. Use a back flow preventive device in the piping. Gases can cause rapid suffocation because of oxygen deficiency; store and use with adequate ventilation. If a leak occurs, close the container valve and blow down the system in a safe and environmentally correct manner in compliance with all international, federal/national, state/provincial, and local laws; then repair the leak. Never place a container where it may become part of an electrical circuit.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Air (132259-10-0) | | | |
|---------------------|------------------------|----------|--|
| Ammonia (7664-41-7) | | | |
| ACGIH | ACGIH TLV-TWA (ppm) | 25 ppm | |
| ACGIH | ACGIH TLV-STEL (ppm) | 35 ppm | |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 35 mg/m³ | |
| USA OSHA | OSHA PEL (TWA) (ppm) | 50 ppm | |

8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Ensure exposure is below occupational exposure limits (where available).

EN (English) SDS ID: p-18-2128 3/8



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

Eye protection

: Provide readily accessible eye wash stations and safety showers. Wear safety glasses when handling cylinders; vapor-proof goggles and a face shield during cylinder changeout or whenever contact with product is possible. Select eye protection in accordance with OSHA 29 CFR 1910.133.

Skin and body protection

Wear metatarsal shoes and work gloves for cylinder handling, and protective clothing where needed. Wear appropriate chemical gloves during cylinder changeout or wherever contact with product is possible. Select per OSHA 29 CFR 1910.132, 1910.136, and 1910.138.

Respiratory protection

When workplace conditions warrant respirator use, follow a respiratory protection program that meets OSHA 29 CFR 1910.134, ANSI Z88.2, or MSHA 30 CFR 72.710 (where applicable). Use an air-supplied or air-purifying cartridge if the action level is exceeded. Ensure that the respirator has the appropriate protection factor for the exposure level. If cartridge type respirators are used, the cartridge must be appropriate for the chemical exposure (e.g., an organic vapor cartridge). For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA).

Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.

Thermal hazard protection

: Wear cold insulating gloves when transfilling or breaking transfer connections.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Gas Physical state Colour Colourless Odour No data available Odour threshold No data available рН Not applicable. Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : Not applicable. Melting point No data available Freezing point No data available No data available Boiling point Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available

Relative vapour density at 20 °C : No data available
Relative density : No data available
Solubility : Water: No data available

Log Pow : Not applicable.

Log Kow : Not applicable.

Viscosity, kinematic : Not applicable.

Viscosity, dynamic : Not applicable.

Explosive properties : Not applicable.

Oxidising properties : None.

Explosive limits : No data available

9.2. Other information

No additional information available

Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapour pressure

No reactivity hazard other than the effects described in sub-sections below.

EN (English) SDS ID: p-18-2128 4/8



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

| 10.2. | Chemical stability | |
|-------|------------------------------------|-------------------------------------|
| | | Stable under normal conditions. |
| 10.3. | Possibility of hazardous reactions | |
| | | No additional information available |
| 10.4. | Conditions to avoid | |
| | | No additional information available |
| 10.5. | Incompatible materials | |
| | | No additional information available |
| 10.6. | Hazardous decomposition products | |

SECTION 11: Toxicological information

Information on toxicological effects

: Not classified Acute toxicity

| Ammonia (7664-41-7) | |
|---------------------------|------------------|
| LC50 inhalation rat (ppm) | 7338 ppm/1h |
| ATE US (gases) | 3669.000 ppmv/4h |

No additional information available

Skin corrosion/irritation : CAUSES SKIN IRRITATION.

pH: Not applicable.

CAUSES SERIOUS EYE IRRITATION. Serious eye damage/irritation

pH: Not applicable.

Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) Not classified Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified Aspiration hazard

SECTION 12: Ecological information

Toxicity

| Ammonia (7664-41-7) | | |
|---------------------|--|--|
| LC50 fish 1 | 0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio) | |
| EC50 Daphnia 1 | 25.4 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC50 fish 2 | 2.43 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) | |

12.2. Persistence and degradability

| Al-Ammonia 0.1 ppm-2.99999% | | |
|--|--|--|
| Persistence and degradability | No ecological damage caused by this product. | |
| Air (132259-10-0) | | |
| Persistence and degradability | No ecological damage caused by this product. | |
| Ammonia (7664-41-7) | | |
| Persistence and degradability The substance is biodegradable. Unlikely to persist. | | |

Bioaccumulative potential

| Al-Ammonia 0.1 ppm-2.99999% | | | | |
|-----------------------------|-----------------|--|--|--|
| Log Pow | Not applicable. | | | |

EN (English) SDS ID: p-18-2128 5/8



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

| Al-Ammonia 0.1 ppm-2.99999% | | | |
|---|--|--|--|
| Log Kow | Not applicable. | | |
| Bioaccumulative potential No ecological damage caused by this product. | | | |
| Air (132259-10-0) | | | |
| Log Pow | Not applicable for inorganic gases. | | |
| Bioaccumulative potential | No ecological damage caused by this product. | | |
| Ammonia (7664-41-7) | | | |
| Log Pow | Not applicable. | | |
| Log Kow Not applicable. Bioaccumulative potential Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to sect | | | |

12.4. Mobility in soil

| Al-Ammonia 0.1 ppm-2.99999% | | |
|-----------------------------|---|--|
| Mobility in soil | No data available. | |
| Air (132259-10-0) | | |
| Ecology - soil | No ecological damage caused by this product. | |
| Ammonia (7664-41-7) | | |
| Mobility in soil | No data available. | |
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |

12.5. Other adverse effects

Effect on ozone layer : None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not attempt to dispose of residual or unused quantities. Return container to supplier.

Waste disposal recommendations : Do not attempt to dispose of residual or unused quantities. Return container to supplier.

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1956 Compressed gas, n.o.s.

UN-No.(DOT) : UN1956

Proper Shipping Name (DOT) : Compressed gas, n.o.s. Hazard labels (DOT) : 2.2 - Non-flammable gas



DOT Symbols : G - Identifies proper shipping name (PSN) requiring the addition of technical name(s) in

parentheses following the PSN.

Additional information

Other information : No supplementary information available.

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers:
- Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure cylinder valve is closed and not leaking. - Ensure valve outlet cap nut or plug (where provided) is correctly fitted. - Ensure valve protection device (where provided) is correctly fitted.

Transport by sea

UN-No. (IMDG) : 1956

Proper Shipping Name (IMDG) : COMPRESSED GAS, N.O.S.

EN (English) SDS ID: p-18-2128 6/8



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

Class (IMDG) : 2.2 - Non-flammable, non-toxic gases

Air transport

UN-No.(IATA) : 1956

Proper Shipping Name (IATA) : COMPRESSED GAS, N.O.S.

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

| Ammonia (7664-41-7) | | |
|--|---|--|
| Listed on the United States TSCA (Toxic Substand Listed on the United States SARA Section 302 Listed on United States SARA Section 313 | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) 500 | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard Sudden release of pressure hazard Fire hazard | |
| SARA Section 313 - Emission Reporting | 1.0 % (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing) | |

15.2. International regulations

CANADA

Air (132259-10-0)

Ammonia (7664-41-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Ammonia (7664-41-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.2.2. National regulations

Ammonia (7664-41-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

| ior of the regulations | | |
|--|----|--|
| Al-Ammonia 0.1 ppm-2.99999%() | | |
| U.S California - Proposition 65 - Carcinogens List | No | |
| U.S California - Proposition 65 - Developmental Toxicity | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | No | |

EN (English) SDS ID: p-18-2128 7/8



Safety Data Sheet p-18-2128

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/29/2015

| Air (132259-10-0) | | | | | | |
|--|--|---|--|-----------------------------------|--|--|
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | | |
| No | No | No | No | | | |
| Ammonia (7664-41-7) | Ammonia (7664-41-7) | | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | | |
| No | No | No | No | | | |

Ammonia (7664-41-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Other information

: When you mix two or more chemicals, you can create additional, unexpected hazards. Obtain and evaluate the safety information for each component before you produce the mixture. Consult an industrial hygienist or other trained person when you evaluate the end product. Before using any plastics, confirm their compatibility with this product.

Praxair asks users of this product to study this SDS and become aware of the product hazards and safety information. To promote safe use of this product, a user should (1) notify employees, agents, and contractors of the information in this SDS and of any other known product hazards and safety information, (2) furnish this information to each purchaser of the product, and (3) ask each purchaser to notify its employees and customers of the product hazards and safety information.

The opinions expressed herein are those of qualified experts within Praxair, Inc. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use are not within the control of Praxair, Inc., it is the user's obligation to determine the conditions of safe use of the product.

Praxair SDSs are furnished on sale or delivery by Praxair or the independent distributors and suppliers who package and sell our products. To obtain current SDSs for these products, contact your Praxair sales representative, local distributor, or supplier, or download from www.praxair.com. If you have questions regarding Praxair SDSs, would like the document number and date of the latest SDS, or would like the names of the Praxair suppliers in your area, phone or write the Praxair Call Center (Phone: 1-800-PRAXAIR/1-800-772-9247; Address: Praxair Call Center, Praxair, Inc., P.O. Box 44, Tonawanda, NY 14151-0044).

PRAXAIR and the Flowing Airstream design are trademarks or registered trademarks of Praxair Technology, Inc. in the United States and/or other countries.

SDS US (GHS HazCom 2012) - PDI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) SDS ID: p-18-2128 8/8