

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 1 of 13

### 1. Product and company identification

#### Product identifier

Trade name: Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

#### Relevant identified uses of the substance or mixture and uses advised against

General use: Material removal and/or surface finishing.  
For industrial purposes only.

#### Details of the supplier of the safety data sheet

Company name:

PFERD INC.

Street/POB-No.: 9201 W. Heather Ave.

Postal Code, city: Milwaukee, WI 53224,  
USA

WWW: [www.pferdusa.com](http://www.pferdusa.com)

E-mail: [sales@pferdusa.com](mailto:sales@pferdusa.com)

Telephone: 1-800-342-9015

Telefax: 262-255-2840

Department responsible for information:  
1-800-342-9015

PFERD CANADA INC.

Street/POB-No.: 5570 McAdam Road

Postal Code, city: Mississauga, Ontario L4Z 1P1,  
Canada

WWW: [www.pferdusa.com](http://www.pferdusa.com)

E-mail: [sales@pferdcanada.ca](mailto:sales@pferdcanada.ca)

Telephone: (905) 501-1555

Telefax: (905) 501-1554

Department responsible for information: 1-866-245-1555

#### Emergency phone number

USA/Canada: 1-800-255-3924

### 2. Hazards identification

#### Emergency overview

Appearance: Physical state at 68 °F (20 °C) and 101.3 kPa: solid

Color: gray-black (wire Material)

Odor: odorless

Classification: Sensitization - skin - Category 1; Carcinogenicity -  
Category 2; Specific Target Organ Toxicity (Repeated Exposure) - Category 1;

Hazard symbols:



Signal word:

**Danger**

Hazard statements:

May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 2 of 13

### Precautionary Statements:

Obtain special instructions before use.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash hands and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN: Wash with plenty of water/soap.  
IF exposed or concerned: Get medical advice/attention.  
Specific treatment (see ' First aid ' on this label).  
If skin irritation or rash occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/container to hazardous or special waste collection point.

### Additional information

The hazard identification is based on a formalistic procedure as the hazard statements of the ingredients are summarized under section 3. This does not correspond to the hazardousness of the product itself. A greater hazard, in most cases, is the exposure to the dust/fumes from the material or paint/coatings being brushed. Most of the dust generated during brushing is from the base material being brushed and the potential hazard from this exposure must be evaluated. This dust may present a fire or dust explosion hazard and may present a serious health hazard.

### Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS in Canada.

### Hazards not otherwise classified

Mechanical processing can produce particles and dust.  
Inhalation of dust may cause irritation of the respiratory system. Dust contact with the eyes can lead to mechanical irritation.  
In the case of the formation of dust: Harmful by inhalation and if swallowed.  
see section 11: Toxicological information

## 3. Composition / Information on ingredients

Chemical characterization: The components listed below represent the chemical composition of the wire material:

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 3 of 13

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 7439-89-6	Iron	< 90 %	not classified
CAS 7440-02-0	Nickel	< 35 %	Sensitization - skin - Category 1. Carcinogenicity - Category 2. Specific Target Organ Toxicity (Repeated Exposure) - Category 1. Aquatic toxicity - chronic - Category 3.
CAS 7440-47-3	Chromium	< 30 %	not classified
CAS 7439-96-5	Manganese	< 15 %	not classified
CAS 7440-21-3	Silicon	< 6 %	not classified
CAS 7440-50-8	Copper	< 5 %	not classified
CAS 7439-98-7	Molybdenum	< 4 %	not classified
CAS 7429-90-5	Aluminium	<= 2 %	not classified
CAS 7440-44-0	Carbon	< 1.2 %	not classified
CAS 7440-62-2	Vanadium	< 0.5 %	not classified
CAS 7727-37-9	Nitrogen	< 0.11 %	Compressed Gas. Simple Asphyxiant.
CAS 7723-14-0	phosphorus	< 0.05 %	not classified
CAS 7704-34-9	Sulfur	< 0.04 %	Skin Irritation - Category 2.

Additional information: The specific identity and/or exact percentage has been withheld as a trade secret.  
The product might contain: Polyurethane, cured.

### 4. First aid measures

In case of inhalation: Provide fresh air. If you feel unwell, seek medical advice.  
Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.  
After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.  
After swallowing: Rinse mouth with water. Seek medical attention.

#### Most important symptoms/effects, acute and delayed

Inhalation of dust may cause irritation of the respiratory system. Dust contact with the eyes can lead to mechanical irritation.  
In the case of the formation of dust: Harmful by inhalation and if swallowed. May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure.

#### Information to physician

Treat symptomatically.

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 4 of 13

### 5. Fire fighting measures

Flash point/flash point range:

not combustible

Auto-ignition temperature: No data available

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

#### Specific hazards arising from the chemical

On heating or in case of fire toxic gases may form.

Protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus. Wear suitable protective clothing.

Additional information:

Do not allow fire water to penetrate into surface or ground water.

### 6. Accidental release measures

Personal precautions:

Avoid generation of dust. Do not inhale substance.  
Provide adequate ventilation. Wear appropriate protective equipment.  
Avoid contact with the substance. Avoid exposure. Keep unprotected people away.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.  
In case of release, notify competent authorities.

Methods for clean-up:

Take up mechanically, placing in appropriate containers for disposal.

### 7. Handling and storage

#### Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid generation of dust. Do not inhale substance.  
Wear appropriate protective equipment.  
Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Work place should be equipped with a shower and an eye rinsing apparatus.  
When using do not eat, drink or smoke.  
Wash hands before breaks and after work. Obtain special instructions before use.

#### Storage

Requirements for storerooms and containers:

Keep container tightly closed and dry.

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 5 of 13

### 8. Exposure controls / personal protection

#### Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7439-89-6	Iron	USA: ACGIH: TWA	10 mg/m <sup>3</sup> (smoke, dust)
		USA: OSHA: TWA	10 mg/m <sup>3</sup> (Smoke)
7440-02-0	Nickel	Canada, Alberta: OEL 8 hour	1.5 mg/m <sup>3</sup> (metal)
		Canada, BC: OEL TWA	0.05 mg/m <sup>3</sup>
		Canada, Ontario: OEL TWA	1 mg/m <sup>3</sup> (metal, inhalable fraction)
		Canada, Québec: VEMP	1 mg/m <sup>3</sup> (metal)
		USA: ACGIH: TWA	1.5 mg/m <sup>3</sup> (metal, inhalable fraction)
		USA: NIOSH: TWA	0.015 mg/m <sup>3</sup>
		USA: OSHA: TWA	1 mg/m <sup>3</sup> (Nickel and compounds)
7440-47-3	Chromium	Canada, Alberta: OEL 8 hour	0.5 mg/m <sup>3</sup>
		Canada, BC: OEL TWA	0.5 mg/m <sup>3</sup>
		Canada, Québec: VEMP	0.5 mg/m <sup>3</sup>
		USA: ACGIH: TWA	0.5 mg/m <sup>3</sup> (inhalable fraction)
		USA: NIOSH: TWA	0.5 mg/m <sup>3</sup>
USA: OSHA: TWA	0.5 mg/m <sup>3</sup>		
7439-96-5	Manganese	Canada, Alberta: OEL 8 hour	0.2 mg/m <sup>3</sup>
		Canada, BC: OEL TWA	0.02 mg/m <sup>3</sup> (inhalable fraction)
		Canada, BC: OEL TWA	0.2 mg/m <sup>3</sup> (respirable fraction)
		Canada, Québec: VEMP	0.2 mg/m <sup>3</sup> (Smoke, inhalable fraction)
7440-21-3	Silicon	Canada, Ontario: OEL TWA	10 mg/m <sup>3</sup>
		Canada, Québec: VEMP	10 mg/m <sup>3</sup> (inhalable fraction)
		USA: NIOSH: TWA	10 mg/m <sup>3</sup> inhalable fraction
		USA: NIOSH: TWA	5 mg/m <sup>3</sup> (respirable fraction)
		USA: OSHA: TWA	15 mg/m <sup>3</sup> inhalable fraction
USA: OSHA: TWA	5 mg/m <sup>3</sup> (respirable fraction)		
7440-50-8	Copper	Canada, Alberta: OEL 8 hour	0.2 mg/m <sup>3</sup> (Smoke)
		Canada, Alberta: OEL 8 hour	1 mg/m <sup>3</sup> (Dusts and mist)
		Canada, BC: OEL TWA	0.2 mg/m <sup>3</sup> (Smoke)
		Canada, BC: OEL TWA	1 mg/m <sup>3</sup>
		Canada, Ontario: OEL TWA	1 mg/m <sup>3</sup> (Dusts and mist calculated as Cu)
		Canada, Québec: VEMP	0.2 mg/m <sup>3</sup> (Smoke, calculated as Cu)
		Canada, Québec: VEMP	1 mg/m <sup>3</sup> (Dusts and mist calculated as Cu)
		USA: ACGIH: TWA	0.2 mg/m <sup>3</sup> (Smoke)
		USA: ACGIH: TWA	1 mg/m <sup>3</sup> (Dusts and mist calculated as Cu)
		USA: NIOSH: TWA	1 mg/m <sup>3</sup>
		USA: OSHA: TWA	0.1 mg/m <sup>3</sup> (Smoke; calculated as Cu)
USA: OSHA: TWA	1 mg/m <sup>3</sup> (Dusts and mist calculated as Cu)		

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 6 of 13

CAS No.	Designation	Type	Limit value
7439-98-7	Molybdenum	Canada, Alberta: OEL 8 hour	0.5 mg/m <sup>3</sup> compounds, soluble; respirable fraction
		Canada, Alberta: OEL 8 hour	10 mg/m <sup>3</sup> (Metal insoluble compounds total)
		Canada, Alberta: OEL 8 hour	3 mg/m <sup>3</sup> (metal, compounds, insoluble; respirable fraction)
		Canada, BC: OEL TWA	0.5 mg/m <sup>3</sup> compounds, soluble; respirable fraction
		Canada, BC: OEL TWA	10 mg/m <sup>3</sup> metal and compounds, insoluble; inhalable fraction
		Canada, BC: OEL TWA	3 mg/m <sup>3</sup> metal and compounds, insoluble; respirable fraction
		Canada, Québec: VEMP	10 mg/m <sup>3</sup> compounds, insoluble
		Canada, Québec: VEMP	5 mg/m <sup>3</sup> compounds, soluble
		USA: ACGIH: TWA	0.5 mg/m <sup>3</sup> soluble; inhalable fraction
		USA: ACGIH: TWA	10 mg/m <sup>3</sup> insoluble; inhalable fraction
		USA: ACGIH: TWA	3 mg/m <sup>3</sup> insoluble; respirable fraction
		USA: OSHA: TWA	15 mg/m <sup>3</sup>
		USA: OSHA: TWA	5 mg/m <sup>3</sup>
7429-90-5	Aluminium	Canada, Alberta: OEL 8 hour	10 mg/m <sup>3</sup> (Metal Dust)
		Canada, Alberta: OEL 8 hour	5 mg/m <sup>3</sup> (Pyro powders, calculated as Al)
		Canada, BC: OEL TWA	1 mg/m <sup>3</sup>
		Canada, Québec: VEMP	10 mg/m <sup>3</sup> (metal)
		USA: ACGIH: TWA	1 mg/m <sup>3</sup>
		USA: NIOSH: Ceiling	5 mg/m <sup>3</sup> (inhalable fraction)
		USA: NIOSH: TWA	10 mg/m <sup>3</sup> (inhalable fraction)
		USA: NIOSH: TWA	5 mg/m <sup>3</sup> (inhalable fraction)
		USA: OSHA: TWA	15 mg/m <sup>3</sup> (inhalable fraction)
USA: OSHA: TWA	5 mg/m <sup>3</sup> (respirable fraction)		
7440-44-0	Carbon	Canada, Alberta: OEL 8 hour	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
		Canada, Alberta: OEL 8 hour	3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
		Canada, BC: OEL TWA	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
		Canada, Ontario: OEL TWA	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
		Canada, Ontario: OEL TWA	3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
		Canada, Québec: VEMP	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
		USA: ACGIH: TWA	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
		USA: ACGIH: TWA	3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
		USA: OSHA: TWA	15 mg/m <sup>3</sup> inhalable fraction
		USA: OSHA: TWA	5 mg/m <sup>3</sup> (respirable fraction)
7723-14-0	phosphorus	Canada, Alberta: OEL 8 hour	0.1 mg/m <sup>3</sup>
		Canada, Québec: VEMP	0.1 mg/m <sup>3</sup>
		USA: NIOSH: TWA	0.1 mg/m <sup>3</sup>
7704-34-9	Sulfur	Canada, Alberta: OEL 8 hour	10 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 7 of 13

### Engineering controls

Provide good ventilation and/or an exhaust system in the work area.  
See also information in chapter 7, section storage.

### Personal protection equipment (PPE)

- Eye/face protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.
- Skin protection: Wear suitable protective clothing and shoes.  
Protective gloves according to OSHA Standard - 29 CFR: 1910.138.
- Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### General hygiene considerations:

Do not inhale substance.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse.  
Wash hands before breaks and after work.  
Work place should be equipped with a shower and an eye rinsing apparatus. Obtain special instructions before use.


## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance:	Physical state at 68 °F (20 °C) and 101.3 kPa: solid Color: gray-black (wire Material)
Odor:	odorless
Odor threshold:	No data available
pH value:	not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	not combustible
Evaporation rate:	No data available
Flammability:	non-flammable
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	No data available
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Additional information:	No data available

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 8 of 13

### 10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions:  
No hazardous reaction when handled and stored according to provisions.

Conditions to avoid: No data available

Incompatible materials: No data available

Hazardous decomposition products:  
On heating or in case of fire toxic gases may form.

Thermal decomposition: No data available

### 11. Toxicological information

#### Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.  
Acute toxicity (dermal): Lack of data.  
Acute toxicity (inhalative): Lack of data.  
Skin corrosion/irritation: Lack of data.  
Serious eye damage/irritation: Lack of data.  
Sensitisation to the respiratory tract: Lack of data.  
Skin sensitisation: Sensitization - skin - Category 1 = May cause an allergic skin reaction.  
Germ cell mutagenicity/Genotoxicity: Lack of data.  
Carcinogenicity: Carcinogenicity - Category 2 = Suspected of causing cancer.  
Reproductive toxicity: Lack of data.  
Effects on or via lactation: Lack of data.  
Specific target organ toxicity (single exposure): Lack of data.  
Specific target organ toxicity (repeated exposure): Specific Target Organ Toxicity (Repeated Exposure) - Category 1 = Causes damage to organs through prolonged or repeated exposure.  
Aspiration hazard: Lack of data.

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019

Version: 6

Language: en-US,CA

Date of print: Nov/11/2019

Page: 9 of 13

Other information: Chronic toxicity carcinogenic effect:  
Information about Nickel:  
IARC Rating: Group 2B  
OSHA Carcinogen: not listed  
NTP Rating: listed  
Information about Chromium:  
IARC Rating: Group 3  
OSHA Carcinogen: not listed  
NTP Rating: not listed

### Symptoms

In case of inhalation:  
Inhalation of dust may cause irritation of the respiratory system. Harmful by inhalation.  
Lung damage is possible in a chronic situation. Cough, shortage of breath.  
In case of ingestion: May be harmful if swallowed.  
After contact with skin: In the case of the formation of dust: May cause irritations.  
After eye contact: Dust contact with the eyes can lead to mechanical irritation.

## 12. Ecological information

### Ecotoxicity

Further details: No data available

### Mobility in soil

No data available

### Persistence and degradability

Further details: No data available

### Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

## 13. Disposal considerations

### Product

Recommendation: Dispose of waste according to applicable legislation.

### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Packing can be recycled or disposed of.

## 14. Transport information

### USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 10 of 13

### Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not restricted

### Sea transport (IMDG)

Proper shipping name: Not restricted  
Marine pollutant: no

### Air transport (IATA)

Proper shipping name: Not restricted

### Further information

No dangerous good in sense of these transport regulations.

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 11 of 13

### 15. Regulatory information

#### National regulations - U.S. Federal Regulations

Product:	This product is an article as defined by TSCA regulations, and is exempt from TSCA inventory listing requirements.
Nickel:	Carcinogen Status: IARC Rating: Group 2B OSHA Carcinogen: not listed NTP Rating: listed Clean Water Act: Priority Pollutant: yes Other Environmental Laws: CERCLA: RQ 100* lbs. RCRA Groundwater Monitoring: Methods 6010, 7520 / PQL 50, 400 SARA Title III Section 313, Toxic Release: Conc. 0.1% / Threshold Standard NIOSH Recommendations: Occupational Health Guideline: 0445*
Chromium:	Carcinogen Status: IARC Rating: Group 3 OSHA Carcinogen: not listed NTP Rating: not listed Clean Water Act: Priority Pollutant: yes Other Environmental Laws: CERCLA: RQ 5000 lbs. RCRA Hazardous Wastes: Code D007 RCRA Groundwater Monitoring: Methods 6010, 7190, 719 / PQL 70, 500, 10 SARA Title III Section 313, Toxic Release: Conc. 0.1% / Threshold Standard NIOSH Recommendations: Occupational Health Guideline: 0141
Manganese:	Other Environmental Laws: SARA Title III Section 313, Toxic Release: Conc. 1.0% / Threshold Standard NIOSH Recommendations: Occupational Health Guideline: 0379*
Silicon:	NIOSH Recommendations: Occupational Health Guideline: 0554
Copper:	Clean Water Act: Priority Pollutant: yes Other Environmental Laws: CERCLA: RQ 5000* lbs. Marine Pollutant: listed as severe pollutant. RCRA Groundwater Monitoring: Methods 6010, 7210 / PQL 60, 200 SARA Title III Section 313, Toxic Release: Conc. 1.0% / Threshold Standard NIOSH Recommendations: Occupational Health Guideline: 0150*
Molybdenum:	NIOSH Recommendations: Occupational Health Guideline: 0433*

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019  
Version: 6

Language: en-US,CA

Date of print: Nov/11/2019  
Page: 12 of 13

**Aluminium:** Other Environmental Laws:  
SARA Title III Section 313, Toxic Release: Conc. 1.0% / Threshold Standard  
NIOSH Recommendations:  
Occupational Health Guideline: 0022

**Carbon:** NIOSH Recommendations:  
Occupational Health Guideline: 0307

**Vanadium:** Other Environmental Laws:  
RCRA Groundwater Monitoring: Methods 6010, 7910, 791 / PQL 80, 2000, 40

**phosphorus:** Clean Air Act:  
Hazardous Air Pollutants: yes  
Clean Water Act:  
Hazardous Substances: RQ 1 lbs.  
Other Environmental Laws:  
CERCLA: RQ 1 lbs.  
Marine Pollutant: listed as severe pollutant.  
SARA Title III Section 302, EHS: TPQ 100 lbs. / RQ 1 lbs.  
SARA Title III Section 313, Toxic Release: Conc. 1.0% / Threshold Standard  
NIOSH Recommendations:  
Occupational Health Guideline: 0507

### National regulations - U.S. State Regulations

**Nickel:** California Proposition 65: cancer

**Nitrogen:** California Proposition 65 code: not listed  
Massachusetts Haz. Substance codes: 4  
Pennsylvania Haz. Substance code: -  
Washington Air Contaminant: Simple Asphyxiant

### National regulations - Canada

No data available

## 16. Other information

Hazard rating systems:



**NFPA Hazard Rating:**  
Health: 2 (Moderate)  
Fire: 0 (Minimal)  
Reactivity: 0 (Minimal)

**HMIS Version III Rating:**  
Health: 2 (Moderate) - Chronic effects  
Flammability: 0 (Minimal)  
Physical Hazard: 0 (Minimal)  
Personal Protection: X = Consult your supervisor

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		0
		X

Reason of change: General revision  
Date of first version: Jan/15/2016

### Department issuing data sheet

Contact person: see section 1: Department responsible for information

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010



## Power Wire Brushes - Stainless Steel and Ecap Stainless Steel

Product number 021

Revision date: May/31/2019

Version: 6

Language: en-US,CA

Date of print: Nov/11/2019

Page: 13 of 13

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.